


LANGE LIFT
PRODUCTS THAT LIFT THE WORLD

MANUAL HYDRAULIC LIFT TABLES - SQUARE DECK


CAPACITIES: 1,000 to 4,000 Pounds
RAISED HEIGHT: 45"
LOWERED HEIGHT: 27"
VERTICAL TRAVEL: 18"
DECK: 1/4" Thick, Formed & Welded Steel, 360° Continuous Rotation with Deck Rotation Lock
BASE: Formed & Welded Steel Legs, 2x Cast Iron Swivel Casters, 2x Cast Iron Rigid Casters, 1x Industrial Foot Actuated Floor Lock
POWER: Foot Pump
CONTROLS: Foot Pedals - Lift/Lower
PAINT: Lange Lift Shadow Gray



MODEL	CAPACITY	DECK & BASE SIZE
L-124	1,000 lbs.	24" Square
L-130	1,000 lbs.	30" Square
L-136	1,000 lbs.	36" Square
L-148	1,000 lbs.	48" Square
L-224	2,000 lbs.	24" Square
L-230	2,000 lbs.	30" Square
L-236	2,000 lbs.	36" Square
L-248	2,000 lbs.	48" Square
L-324	3,000 lbs.	24" Square
L-330	3,000 lbs.	30" Square
L-336	3,000 lbs.	36" Square
L-348	3,000 lbs.	48" Square
L-424	4,000 lbs.	24" Square
L-430	4,000 lbs.	30" Square
L-436	4,000 lbs.	36" Square
L-448	4,000 lbs.	48" Square

MANUAL HYDRAULIC LIFT TABLES - ROUND DECK

CAPACITIES: 1,000 to 2,000 Pounds
RAISED HEIGHT: 45"
LOWERED HEIGHT: 27"
VERTICAL TRAVEL: 18"
DECK: 1/4" Thick, Formed & Welded Steel, 360° Continuous Rotation with Deck Rotation Lock
BASE: Formed & Welded Steel Legs, 2x Cast Iron Swivel Casters, 2x Cast Iron Rigid Casters, 1x Industrial Foot Actuated Floor Lock
POWER: Foot Pump
CONTROLS: Foot Pedals - Lift/Lower
PAINT: Lange Lift Shadow Gray



MODEL	CAPACITY	DECK & BASE SIZE
L-124-30RD	1,000 lbs.	Ø30" Round
L-224-30RD	2,000 lbs.	Ø30" Round

We specialize in custom modifications! The Lange Lift Custom Design & Build Shop is equipped to offer dynamic solutions for your unique material handling needs. We offer speedy, but detailed turnaround with up-front design, and 3D CAD models backed by nearly 90 years of field proven experience.

Using our standard lift tables as the foundation, modifications are handled by special request.

All requests will be considered by our Sales & Engineering Team. Common modifications include: UHMW and Neoprene Deck Covers, Poly on Iron or Phenolic Casters, Top Lock Caster Brakes, Swivel Locks, Floor Mounting, Fork Pockets, Non-Rotating Decks, Extreme Length or Diameter, Machined Decks, Fixtures, and More. We also design and manufacture custom lifts such as scissor lifts, box dumpers, tilters, and up-enders.

WE MAKE MODIFICATION EASY.

More examples of our design and custom manufacturing solutions can be viewed on langelift.com.


MANUAL HYDRAULIC LIFT TABLES are the original Lange Lift Table, ideal for material handling in any industrial, or aerospace environment. Adjustable working heights promote safety, a reduction of bodily stress, repetitive motion injuries, and increased workflow efficiency. Ergonomic Lange Lift Tables are the perfect choice for machinists, welders, assemblers, fabricators, warehouse professionals, and more



LOCAL: (262) 502-0333 | TOLL FREE: (800) 558-0577 | EMAIL: SALES@LANGELIFT.COM

WWW.LANGELIFT.COM


PRODUCT BROCHURE **ERGONOMIC LIFTS**



LANGELIFT
PRODUCTS THAT LIFT THE WORLD

AIR POWER HYDRAULIC LIFT TABLES

CAPACITIES: 1,000 to 5,000 Pounds
RAISED HEIGHT: 45"
LOWERED HEIGHT: 27"
VERTICAL TRAVEL: 18"
DECK: 1/4" Thick, Formed & Welded Steel, 360° Continuous Rotation With Deck Rotation Lock
BASE: Formed & Welded Steel Legs, 2x Cast Iron Swivel Casters, 2x Cast Iron Rigid Casters, 1x Industrial Foot Actuated Floor Lock
POWER: Air Motor - 80 Psi @ 50 CFM (Recommended), Air Regulator, Filter, And Lubricator
CONTROLS: Air Valve Pedal - Lift/Lower, Adjustable Down Speed Flow Control Valve
PAINT: Lange Lift Shadow Gray




AIR POWERED HYDRAULIC LIFT TABLES are ideally suited for material handling in combustible environments, such as spray booths. They are excellent performers in any high cycle industrial, or aerospace environment where shop air is readily available. Adjustable working heights promote safety, a reduction of bodily stress, repetitive motion injuries, and increased workflow efficiency. Ergonomic Lange Lift Tables are the perfect choice for machinists, welders, assemblers, fabricators, warehouse professionals, and more.

MODEL	CAPACITY	DECK & BASE SIZE
L-124-AP	1,000 lbs.	24" Square
L-130-AP	1,000 lbs.	30" Square
L-136-AP	1,000 lbs.	36" Square
L-148-AP	1,000 lbs.	48" Square
L-224-AP	2,000 lbs.	24" Square
L-230-AP	2,000 lbs.	30" Square
L-236-AP	2,000 lbs.	36" Square
L-248-AP	2,000 lbs.	48" Square
L-324-AP	3,000 lbs.	24" Square
L-330-AP	3,000 lbs.	30" Square
L-336-AP	3,000 lbs.	36" Square
L-348-AP	3,000 lbs.	48" Square
L-424-AP	4,000 lbs.	24" Square
L-430-AP	4,000 lbs.	30" Square
L-436-AP	4,000 lbs.	36" Square
L-448-AP	4,000 lbs.	48" Square
L-524-AP	5,000 lbs.	24" Square
L-530-AP	5,000 lbs.	30" Square
L-536-AP	5,000 lbs.	36" Square
L-548-AP	5,000 lbs.	48" Square

BATTERY POWER HYDRAULIC LIFT TABLES

CAPACITIES: 1,000 to 5,000 Pounds
RAISED HEIGHT: 45"
LOWERED HEIGHT: 27"
VERTICAL TRAVEL: 18"
DECK: 1/4" Thick, Formed & Welded Steel, 360° Continuous Rotation With Deck Rotation Lock
BASE: Formed & Welded Steel Legs, 2x Cast Iron Swivel Casters, 2x Cast Iron Rigid Casters, 1x Industrial Foot Actuated Floor Lock
POWER: 12 Volt Deep Cycle Battery (Enclosed), DC Motor, And On Board Battery Charger
CONTROLS: Push Button Coil Corded Pendant - Lift/Lower, Adjustable Down Speed Flow Control Valve
PAINT: Lange Lift Shadow Gray




BATTERY POWERED HYDRAULIC LIFT TABLES are ideal for material handling in any industrial or aerospace environments with untethered, and high mobility needs. With no plugs, or non-integrated hoses required for use, handheld controls allow for quick, quiet, and effortless operation anywhere. The table can be charged from a standard outlet through the on-board battery charge when not in use. Adjustable working heights promote safety, a reduction of bodily stress, repetitive motion injuries, and increased workflow efficiency. Ergonomic Lange Lift Tables are the perfect choice for machinists, welders, assemblers, fabricators, warehouse professionals, and more.

MODEL	CAPACITY	DECK & BASE SIZE
L-124-BP	1,000 lbs.	24" Square
L-130-BP	1,000 lbs.	30" Square
L-136-BP	1,000 lbs.	36" Square
L-148-BP	1,000 lbs.	48" Square
L-224-BP	2,000 lbs.	24" Square
L-230-BP	2,000 lbs.	30" Square
L-236-BP	2,000 lbs.	36" Square
L-248-BP	2,000 lbs.	48" Square
L-324-BP	3,000 lbs.	24" Square
L-330-BP	3,000 lbs.	30" Square
L-336-BP	3,000 lbs.	36" Square
L-348-BP	3,000 lbs.	48" Square
L-424-BP	4,000 lbs.	24" Square
L-430-BP	4,000 lbs.	30" Square
L-436-BP	4,000 lbs.	36" Square
L-448-BP	4,000 lbs.	48" Square
L-524-BP	5,000 lbs.	24" Square
L-530-BP	5,000 lbs.	30" Square
L-536-BP	5,000 lbs.	36" Square
L-548-BP	5,000 lbs.	48" Square



PRODUCT BROCHURE ERGONOMIC LIFTS



LANGELIFT
PRODUCTS THAT LIFT THE WORLD

ELECTRIC POWER HYDRAULIC LIFT TABLES

CAPACITIES: 1,000 to 5,000 Pounds

RAISED HEIGHT: 45"

LOWERED HEIGHT: 27"

VERTICAL TRAVEL: 18"


DECK: 1/4" Thick, Formed & Welded Steel, 360° Continuous Rotation With Deck Rotation Lock

BASE: Formed & Welded Steel Legs, 2x Cast Iron Swivel Casters, 2x Cast Iron Rigid Casters, 1x Industrial Foot Actuated Floor Lock

POWER: 120 Volt Ac Electric Over Hydraulic Motor

CONTROLS: Dual Guarded Foot Switch - Lift/Lower, Adjustable Down Speed Flow Control Valve

PAINT: Lange Lift Shadow Gray



ELECTRIC POWERED HYDRAULIC LIFT TABLES are ideal for material handling in any industrial or aerospace environments with high cycle applications where raising and lowering speeds are critical for maximizing efficiency. Adjustable working heights promote safety, a reduction of bodily stress, repetitive motion injuries, and increased workflow efficiency. Ergonomic Lange Lift Tables are the perfect choice for machinists, welders, assemblers, fabricators, warehouse professionals, and more.

MODEL	CAPACITY	DECK & BASE SIZE
L-124-EP	1,000 lbs.	24" Square
L-130-EP	1,000 lbs.	30" Square
L-136-EP	1,000 lbs.	36" Square
L-148-EP	1,000 lbs.	48" Square
L-224-EP	2,000 lbs.	24" Square
L-230-EP	2,000 lbs.	30" Square
L-236-EP	2,000 lbs.	36" Square
L-248-EP	2,000 lbs.	48" Square
L-324-EP	3,000 lbs.	24" Square
L-330-EP	3,000 lbs.	30" Square
L-336-EP	3,000 lbs.	36" Square
L-348-EP	3,000 lbs.	48" Square
L-424-EP	4,000 lbs.	24" Square
L-430-EP	4,000 lbs.	30" Square
L-436-EP	4,000 lbs.	36" Square
L-448-EP	4,000 lbs.	48" Square
L-524-EP	5,000 lbs.	24" Square
L-530-EP	5,000 lbs.	30" Square
L-536-EP	5,000 lbs.	36" Square
L-548-EP	5,000 lbs.	48" Square

CUSTOM MATERIAL HANDLING LIFT SOLUTIONS

The **Lange Lift Custom Design & Build Shop** has extensive capabilities in designing creative, workable ergonomic solutions for your material handling needs using many different forms of material handling lifts that off-the-shelf manufacturers are unable to provide. We draw from nearly 90 years of experience in custom lift products that is unmatched in the industry. These hand built lifts are ruggedly and expertly manufactured, and built to last a lifetime. These types of lifts include Scissor Lifts, Turntables, Tilters, Box Dumpers, Up-Enders, and more. We have been entrusted with our customer's most sensitive, and

Order Process for Modified Lift Tables & Custom Products

- Modified Lift Tables are typically quoted within 1-2 business days.
- Fully Custom Products may take several weeks depending upon project complexity

Initial Inquiry

Please provide basic information about your ideal lift to sales@langelift.com. Email is preferred so we can refer back to critical details during the design process.

Common Design Parameters Include:

- Product Type - Scissor Lift, Box Dumper, Tilter, Upender, Lift Cart, Turntable
- Capacity
- Power - Manual Foot Pump, Air, Battery, Electric - All Over Hydraulic
- Footprint Size
- Ideal Raised and Lowered Heights
- Desired Movements - Lifting, Tilting, Rotating are typical
- Preferred Controls - Hand Pendants, Foot Switches, Pedals are typical
- Relevant Drawings, Sketches, or CAD Files

Internal Review

- Typical Response Time is (1) Business Day.
- Ballpark Pricing if enough information is provided to do so
- Any questions we may have or further discussions that are needed

Design Work Performed

- 3D Modeling
- Preliminary Drawings are Provided for Review or Discussion if Necessary

Finished Proposal Provided

- Approval drawing
- Quote with Pricing, Lead Time Window, and Terms of Sale
- Revision Performed if Needed

Order Requirements

- Signed Approval Drawing
- Purchase Order with Terms Matching the Quote



PRODUCT BROCHURE **ERGONOMIC LIFTS**

LOCAL: (262) 502-0333 | TOLL FREE: (800) 558-0577 | EMAIL: SALES@LANGELIFT.COM

WWW.LANGELIFT.COM